THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

ALL DTLS A	ALL DTLS ABT, WOG AND GIVEN IN GOOD FAITH				
1					
	Date updated:		31-Dec-2023 LATIKA NAREE		
1.2	Vessel's name: IMO number:			1KA NAREE 9496941	
1.4			N/A		
	Flag:		THAILAND		
	Port of Registry:			ANGKOK	
	Type of vessel:		BULK / LOG CARRIER		
	Type of hull:		SIN	IGLE HULL	
Ownership	and Operation				
1.9	PRECIOUS LAKES LIMITED 8/27-28, 7th Floor, Cathay House, North Silom, Bangrak, Bangkok, 10500 Thaila		House, North Sathorn Road,		
1.1	Parent company/group to which the owner belongs - Full style:			JBLIC COMPANY LIMITED y House, North Sathorn Road, 10500 Thailand	
1.11	Technical operator - Full style:			ency Ltd, 10th FL, Cathay House, angkok, Thailand, 10500, TEL:	
1.12	Commercial operator - Full style:		8/27-28, 7th Floor, Cath	B PUBLIC COMPANY LIMITED Bay House, North Sathorn Road, Bangkok, 10500 Thailand	
1.13	13 Disponent owner - Full style:		DAMPSKIBSSELSKABET NORDEN A/S 52, STRANDVEJEN DK-2900 HELLERUP DENMARK		
	Does disponent owner have vessel on time charter or bareboat:		TIME CHARTER		
	Since when vessel has been under Disponent owner:		5-Jan-2023		
1.16 Builder	Number of vessels in disponent owner's fleet:			N/A	
	Builder (where built) / Yard number:		Jiangsu Yangzijiang	N/A	
			shipbuilding Co., Ltd		
1.18 Classification	.18 Date delivered (built): 19-Nov-2012				
	Classification society:		BV (BUF	REAU VERITAS)	
1.2				NO. 20441V I40	
1.21	If Classification society changed, name of previous society:			N/A	
1.22	If Classification society changed, date of change:			N/A	
1.23	Date and place of last dry dock:		5-Jan-2023	SHANHAIGUAN SHIPYARD	
1.24	Date next dry dock is due:		18	-Nov-2027	
1.25	Date of last special survey / next survey due:		05-Jan-2023/ QINHUANGDAO	18-Nov-2027	
1.26	Date of last annual survey / next survey due:		13-09-2023/ Taipei, Taiwan	12-Sep-2024	
1.27	Is vessel entered in classification approved enhanced survey program?			YES	
	Does vessel comply with IACS unified requirements regarding number 1 cargo hold and c	louble bottom tank steel structure?	YES		
—	Has this compliance been verified by the classification society?			YES	
Dimensions	<u> </u>				
1.29				181 M.	
1.3			172 M.		
1.31	Extreme breadth (Beam): Moulded depth:		30 M. 14.6 M.		
1.33					
1.34	Distance from waterline to top of hatch coamings or	No1. Hatch	Midships	Last Hatch	
	top of hatch covers if side-rolling hatches Ballast condition:				
	(ballast holds not flooded, basis 50% bunkers)	11.82 M.	11.17 M.	10.56 M.	
	Full ballast condition: (ballast holds flooded, basis 50% bunkers)	9.92 M.	9.60 M.	9.29 M.	
		45 40 M		4224 M	
	Fully laden condition:	15.43 M.	15.43 M.	1334 M.	
1.35	Fully laden condition: Distance from keel to top of hatch coamings (or top of hatch covers if side-rolling hatches):	15.43 M. 16.4 M.	15.43 M. 16.4 M.	16.4 M.	
Tonnages	Distance from keel to top of hatch coamings (or top of hatch covers if side-rolling hatches):		16.4 M.	16.4 M.	
	Distance from keel to top of hatch coamings (or top of hatch covers if side-rolling hatches):				

		nal Net Tonnage (PCNT):				18868
oadline Inf						
1.39	Loadline			Deadweight	Draft	TPC
	Summer:			33869.239	9.816	48.4
	Winter:			32881.404	9.612	48.2
	Winter North	Atlantic:		-	-	-
	Fresh water:			33870.636	10.037	48.5
	Tropical:			34860.089	10.02	48.5
	Tropical fres	h water:		34840.207	10.241	48.7
	Full Ballast of			34040.201	10.241	40.7
				13294.3	5.43	
		s not flooded, basis 50% bunkers) (about)	2.024	0045.474		
	Lightship: Dr	*			2.304	9015.171
	FWA at sum					221 MM
	TPC on sum	mer draft				48.4
vessel fitt	ted for:					
1.4	Transit of Pa	anama Canal?				YES
	If yes, state	deadweight all told on 39ft 6in / 12.039m (SG 0.9954	4):			N/A
	If yes, is Par	nama deadweight all told affected by vessel's bilge to	ım radius?			N/A
1.41	Transit of Su					YES
		. Lawrence Seaway?				NO
		deadweight all told on 26ft / 7.92m fresh water:				N/A
	rational Hist					1071
	give details:			Gr C	Pollution: NONE Grounding: NONE Casualty: NONE Collision: NONE	
1.44						
	Voy#	Charterer	Car	go		
	1st.	DAMPSKIBSSELSKABET NORDEN A/S	WHEAT II	N BULK	Loadin Dischar	g - SAN LORENZO, ARGENTINA ge - OUTEIRO,MANAUS,BELEM, BRAZIL
	2 nd :	DAMPSKIBSSELSKABET NORDEN A/S	AMMONIUM SULF	PHATE IN BULK		Loading - TIANJIN, CHINA harge - San lorenzo, Argentine
	3 rd :	DAMPSKIBSSELSKABET NORDEN A/S	SOLAR SALT IN BULK			ading - Port Hedland Australia ge - TAICHUNG,TAIPEI,TAIWAN
	4 th :	DAMPSKIBSSELSKABET NORDEN A/S	PRILLED UREA IN BULK		Lo Disch	nading - MESAIEED, QATAR arge - VIZAG/KAKINADA, INDIA
	5 th :	SUMMIT TRADING SA	PIG IRON	IN BULK		Loading - ITAQUI, BRAZIL Discharge - KHALIFA, UAE
1 //5	Specify the s	security level at which the ship is currently operating	(ISSC):			1

2	CERTIFICATION	Issued	Last Annual	Expires
2.1	Safety Equipment Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.2	Safety Radio Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.3	Safety Construction Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.4	Loadline Certificate:	BUREAU VERITAS / 05-01-2023	13-Sep-2023	18-Nov-2027
2.5	Safety Management Certificate (SMC):	NIPPON KAIJI KYOKAI / 07-01-2023	N/A	10-Apr-2028
2.6	Document of Compliance (DOC):	NIPPON KAIJI KYOKAI / 4-Nov-2020	9-Oct-2023	19-Nov-2025
2.7	Cargo Gear survey:	BUREAU VERITAS	5-Jan-2023	5-Jan-2024
2.8	Cargo securing manual:	BUREAU VERITAS	N/A	N/A
2.9	International Oil Pollution Prevention Certificate (IOPPC):	BUREAU VERITAS / 07-Sep-2017	13-Sep-2023	18-Nov-2027
2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate	SAN LORENZO, ARGENTINA / 30.11.2023	N/A	29-May-2024
2.11	USCG COFR:	NATIONAL POLLUTION FUNDS CENTER	11-Nov-2021	11-Nov-2024
2.12	International Ship Security Certificate (ISSC):	NIPPON KAIJI KYOKAI / 07-MAR-2023	N/A	10-Apr-2028

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	12
3.2	Number of crew:	10

3.3 Name and nationality of Master:	CAPT. WOOTHTICHAI BOONTANOM / THAI
3.4 Nationality of Officers:	THAI
3.5 Nationality of crew:	THAI
3.6 What is the common working language onboard:	ENGLISH
3.7 Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT		
4.1	Is the vessel ISM certified?	YES	
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076THADOC	NIPPON KAIJI KYOKAI
4.3	Safety Management (SMC) certificate number / issuing authority:	23LN-M0004SMC	NIPPON KAIJI KYOKAI
	State outstanding recommendations, if any:	NONE	
4.4	is the vessel operated under a Quality Management System?	YES	
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):		

	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):				
	CARGO ARRANGEMENTS				
Holds					
5.1	Number of holds:		5		
5.2	Hold dimensions: L x B x H	HOLD#2: L HOLD#3: L: HOLD#4: L:	DLD#1: L: 26.40 M/B:(FWD: 4.90M, AFT 21.70 M/H: 13.0 M. DLD#2: L: 23.95 M/B:(FWD: 22.20M, AFT: 23.20M/H: 13.0 M. DLD#3: L: 23.90 M/B: 23.20 M/H: 13.0 M. DLD#4: L: 23.90 M/B: 23.20 M/H: 13.0 M. DLD#5: L: 26.30 M/B(FWD: 23.20 M, AFT: 10.0M,)/H: 13.0 M.		
5.3	Are vessel's holds clear and free of any obstructions?		YES		
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:		Grain	Bale	
	Hold #1: 8236.00		8236.00	7764.80	
	Hold #2:		9803.90	9264.90	
	Hold #3:		9819.60	9249.60	
	Hold #4:		9819.60	9267.00	
	Hold #5:		9363.10	8888.90	
	Total:		47042.20	44435.20	
5.5	Is vessel strengthened for the carriage of heavy cargoes?		YES		
5.6			HOLD NO		
5.7			YES		
5.8	State whether bulkhead corrugations are vertical or horizontal:		CORRUGATIONS VER	TICAL BULKHEAD	
5.9			25.0 MT		
			YES		
5.11	Are holds fitted with smoke detection system?		YES		
5.12	Is vessel fitted with Australian type approved holds ladders?		YES		
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?		YES		
5.14	Are holds hoppered at:				
	Forward bulkhead?	YES (CORRUGATION BULKHEAD IN HOLD 2,3,4)		KHEAD IN HOLD 2,3,4)	
	Aft bulkhead?		(ES (CORRUGATION BULKHEAD IN HOLD 1,2,3,4)		
5.15	Can vessel's holds be described as box shaped?		N/A		
5.40	Measurement of any tank slopes/hoppering:		DI E 4 0 E 0 E E 4	TT40115115	
5.16	(height and distance from vessel's side at tank top)	PLEASE SEE ATTACH FILE			
5.17	7 Flat floor measurement of cargo holds at tank top: L x W		HOLD#1: L: 26.40 M/B:(FWD: 4.90M, AFT 21.70 M. OLD#2: L: 23.95 M/B:(FWD: 22.20M., AFT: 23.20M. HOLD#3: L: 23.90 M/B: 23.20 M. HOLD#4: L: 23.90 M/B: 23.20 M. IOLD#5: L: 26.30 M/B (FWD: 23.20 M., AFT: 10.0M.)		
5.18	Are vessel's holds electrically ventilated?		YES		
0.10	If yes, state number of air-changes per hour basis empty holds:		6 AIR CHANGES		
5.19	Type of hold paint:		JOTAPRIM		
	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?		YES		
5.21	Is the vessel fitted with A60 Steel Bulkhead?		YES		
Deck and H	atches				
5.22	Number of hatches:			5 NOS.	
5.23	Make and type of hatch covers:		MACGREGOR / ELECTR	O HYDRAULIC FOLDING TYPE	
5.24	Hatch dimensions: (Length X Breadth)		HATCH #1: 16.80 X 15 HATCH #2-5: 19.20 X 19		
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		122.4 Mtrs		
5.26	Strength of hatch covers:		3	MT/M2	
5.27	Number, diameter and location of cement holes		4 Holes/Hatch,DIA:600mm ,2	xfwd and 2 x aft	
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near and far (Please advise the minimum win of any obstruction for each hold):	dth clear	(PLEASE SEE ATTACH F	ILE OF MAIN DK. FREE SPACE)	
5.29	. 0			19.1 M.	
5.3	Distance from stern to aft of last hold opening:			38.8 M	
5.31	State deck strength:		3.	5 MT/M2	
Ballast					
5.32	Capacity of ballast tanks (100%):			848.1 M3	
5.33	Ballast holds capacity, state which hold(s):		CARGO HOLI	O NO.3 : 9819.60 M3	

5.34 Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate 6.35	of deballasting	MAX 1200	M3./HR WITH 2 PUMPS.
5.36 Unpumpable quantity:			120 MT
6 CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)			
6.1 If geared state make and type:		MACGREGOR	R / GLB3025-2/2425 gr
6.2 Number/location of derricks-/ cranes:			RANES/ SWL 30 MT
6.3 Maximum outreach of gear beyond ships rail		10 METERS (Whon in	n line with each crane position)
6.4 Maximum outreach of gear beyond ships rail with maximum cargo lift on hool		10	METERS.
6.5 If gantry cranes/horizontal slewing cranes - state minimum clearance distanc	ce crane hook to top of hatch coaming:		N/A
6.6 Time needed for full cycle with maximum cargo lift on hook:		ABC	OUT 2 MINS.
Hoisting time of gear: (Load / Metres Minutes) Hook Grab		2	25 m/ min
6.8 Luffing time of gear:			60 sec
6.9 Slewing time of gear:		1	rev / min
6.1 Is gear combinable for heavy lift?			NO YES
6.11 Are winches electro-hydraulic? 6.12 If vessel has grabs on board - state:			N/A
U. 12 II Vecces had grape on board state.	Туре:		
	Weight:		
	Lifting Capacity:		
	Power source of grabs: Location of power source:		
6.13 Does vessel have enough power to run 4 cranes and 4 shore grabs (if applic	·		YES
	Davie). II Hot pie state How Many?		
6.14 Is vessel fitted with sufficient lights at each hatch for night work?		YES, Portable lights	s sufficient rig for each hold.
6.15 Is vessel logs fitted?			YES
If yes, state number, type and height of stanchions/sockets, if on board:			ANCHION 74 NOS. / - FIXED CHION 12 NOS.
6.16 Is vessel log racks fitted?			YES
6.17 Timber Loadline (if applicable)	Deadweight	Draft	TPC
Summer:	35327.325	10.116	48.6
Winter:	33961.416	9.835	48.4
Winter North Atlantic: Fresh water:	- 36439.319	10.344	48.7
Tropical:	36351.416	10.326	48.7
Tropical fresh water:	37466.316	10.554	48.9
7			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks:			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks:			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks:			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear?	ve number of TEU/FEU?		
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity:			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel-fitted with all permanent and loose-fittings/lashing materials for above			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for above. 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity: 7.4 If vessel-fitted with all permanent and loose fittings/lashing materials for above the vessel-fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per FEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has-vessel a container spreader on board?			
7.4 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity: 7.4 If vessel-fitted with all permanent and loose fittings/lashing materials for above the vessel-fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU:			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for above the vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board?			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack weights and number of tiers on/under deck per TEU: Advise-stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer-plugs:			NO
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on beard? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? Igine Room			
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type:	n weatherdeck and hatch covers?		B & W 6S42 MC 7
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? Igine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR:	n weatherdeck and hatch covers?	6480 KW	B & W 6S42 MC 7 136 RPM.
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type:	n weatherdeck and hatch covers?		B & W 6S42 MC 7
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR:	n weatherdeck and hatch covers?	6480 KW 5508 KW	B & W 6S42 MC 7 136 RPM. 119 RPM
7.4 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR):	n weatherdeck and hatch covers?	6480 KW 5508 KW	B & W 6S42 MC 7 136 RPM. 119 RPM
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / ZI RMG 380 CST SPECS: I	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu
7.4 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR):	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / ZI RMG 380 CST SPECS: I	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self-sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? Igine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at MCR: 8.5 GENERATORS: el 8.5 What type/viscosity of fuel is used for main propulsion:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / ZI RMG 380 CST SPECS : II 0.5%) + In ECA area, DM (Sulphur < 0.1%)	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zi RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 /	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack-weights-and number of tiers on/under deck per TEU: Advise-stack-weights-and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zi RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS: II	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank)
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise stack weights and number of tiers on/under deck per TEU: Advise stack weights and number of tiers on/under deck per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS: el 8.5 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables):	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS : It 0.5%) + In ECA area, DM, (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS : It 0.5%) + In ECA area, DM, (Sulphur < 0.1%) HSFO = 1215 M3 /	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu
7.4 Capacity in direct stow of TEU/FEU basis-empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack weights and number of tiers on/under deck-per-TEU: Advise-stack weights and number of tiers on/under deck-per-TEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of recfer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS: 8.6 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables): Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables):	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS : It 0.5%) + In ECA area, DM, (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS : It 0.5%) + In ECA area, DM, (Sulphur < 0.1%) HSFO = 1215 M3 /	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO
7.4 Capacity in direct stow of TEU/FEU basis-empty tanks: Capacity in direct stow of TEU/FEU basis-full tanks: 7.2 Are all-containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack weights and number of tiers on/under deck-per-TEU: Advise-stack weights and number of tiers on/under deck-per-FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS: 8.6 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables): 8.6 What type/viscosity of fuel is used in the generating plant: Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables): eed 8.7 Ballast:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack-weights-and number of tiers on/under deck-per-TEU: Advise-stack-weights-and number of tiers on/under deck-per-FEU: 7.7 Has-vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at NCR (as % of MCR): 8.5 GENERATORS: 8.6 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables): 8.6 What type/viscosity of fuel is used in the generating plant: Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables): 8.7 Ballast: Laden:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank)
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack-weights and number of tiers on/under deck-per-TEU: Advise-stack-weights and number of tiers on/under deck-per-FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of reefer plugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at MCR: 8.5 GENERATORS: 8 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables): 8 What type/viscosity of fuel is used in the generating plant: Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables): 8 Ballast:	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS: II 0.5%) + In ECA area, DM (Sulphur < 0.1%) HSFO = 1215 M3 / set	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO) LSGO = 310 M3(Excluding t,serv.tank)
7.1 Capacity in direct stow of TEU/FEU basis empty tanks: Capacity in direct stow of TEU/FEU basis full tanks: 7.2 Are all containers within reach of vessel's gear? 7.3 If no, state self sustained capacity: 7.4 If vessel fitted with all permanent and loose fittings/lashing materials for abov 7.5 Is vessel fitted with recessed holes/shoes on tanktop and container shoes or 7.6 Advise-stack-weights-and-number of tiers on/under deck-per TEU: Advise-stack-weights-and-number of tiers on/under deck-per FEU: 7.7 Has vessel a container spreader on board? 7.8 Number and type of recerplugs: 8 ENGINE ROOM, SPEED AND CONSUMPTION 8.1 Is vessel fitted with a shaft generator? gine Room 8.2 Engine make/model and type: 8.3 BHP / RPM of main engine at MCR: 8.4 BHP / RPM of main engine at MCR: 8.5 GENERATORS: 8.6 What type/viscosity of fuel is used for main propulsion: Capacity (100%) of main engine bunker tanks (excluding unpumpables): 8.6 What type/viscosity of fuel is used in the generating plant: Capacity (100%) of aux engine(s) bunker tanks (excluding unpumpables): 8.7 Ballast: Laden: nsumptions	n weatherdeck and hatch covers?	6480 KW 5508 KW 3 Nos of Aux engine / Zl RMG 380 CST SPECS: II 0.5%) + In ECA area, DM. (Sulphur < 0.1%) HSFO = 1215 M3 / set RMG 380 CST SPECS: II 0.5%) + In ECA area, DM. (Sulphur < 0.1%) HSFO = 1215 M3 / set	B & W 6S42 MC 7 136 RPM. 119 RPM HENJIANG CME MAN 5L23/30 SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank) SO 8217 2017 VLSFO (Sulphu A ISO 8217 2017, LSMGO LSGO = 310 M3(Excluding t,serv.tank)

8.9	In Port	
	Working:	AS PER VESSEL DESCRIPTION
	ldle:	
	Other (specify): Vsl burns extra IFO/MDO when grabs are operating / BOILER Operation ABT: IFO 0.50 MT	

9	MISCELLANEOUS	
	ations and Electronics	
9.1	Call sign:	HSJL
9.2	Vessel's INMARSAT – C number:	SAT-C NO: 456700550
9.3	Vessel's telephone number:	VSAT TEL : +662 844 9500 Iridium Tel: +88 1677 106 202 (if calling from Land Line) Iridium Tel: (001) 88 1677 106 202 (if calling from mobile phone)
9.4	Vessel's fax number:	
9.5	Vessel's email address:	latikanaree@speedmailplus.com
9.6	Vessel's MMSI No. (Maritime Mobile Selective call Identity Code):	567049000
9.7	Vessel's onboard electrical supply (V / Hz):	220 V./ 60 HZ (Accommodation)
Constants/	Fresh Water	
9.8	Constants excluding fresh water:	350 MT
9.9	Daily freshwater consumption:	ABOUT 8-10 MT./DAY
9.1	Fresh water capacity:	320.80 M3
9.11	State daily production of evaporator:	ABOUT 15 MT./DAY
9.12	Normal fresh water reserve:	320 MT
Insurance		
9.13	P & I Club - Full style:	SKULD
9.14	P & I Club coverage:	AS PER P&I RULES
9.15	Where is the owners hull and machinery placed:	THE SWEDISH CLUB
9.16	Hull & Machinery insured value:	AS PER VESSEL DESCRIPTION
Vetting		
9.17	Is the vessel RIGHTSHIP approved:	YES
9.18	Date/Place of last RIGHTSHIP Inspection:	N/A
Port State	Control	
9.19	Date and place of last Port State Control inspection:	28th NOVEMBER 2023 / SAN LORENZO, ARGENTINA
9.2	Has the vessel been detained by Port State Control in the last 12 months?	NO
	Any outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
9.21	Any Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, please advise details and specify when/where these items were repaired.	NO

10	SUPPLEMENTARY INFORMATION FOR SPECIFIC COMMODITIES/TRADES
10.1	

2008 (BalticExchange.com / Baltic99.com)