THE BALTIC EXCHANGE DRY CARGO QUESTIONNAIRE (BALTIC99)

Version 2

1 GENERAL INFORMATION			
1.1 Date updated:		31-Dec	-23
1,2 Vessel's name:		SUNISA N	
1.3 IMO number:		9751248	
1.4 Vessel's previous name(s) and date(s) of change:		N/A	
1.5 Flag:		THAILA	
1.6 Port of Registry:		BANG	
1.7 Type of vessel:		BULK CA	
1.8 Type of hull:		DOUBLE-SI	
wnership and Operation			-
1.9 Registered owner - Full style:		PRECIOUS FORESTS LIMITE 7TH FLOOR, CATHAY HOUSE SATHORN ROAD, SILOM, BAI	e, 8/27-28, NORTH
1.1 Parent company/group to which the owner belongs -	- Full style:		
1.11 Technical operator - Full style:		Cathay House, 8/35 10th Floor, Bangrak, Bangkok -10500, Tha Tel: (662) 696 8900 to 99, Fax: Email: gcship@preciousshippin	iland (662) 237 7842, 633 846 g.com
1.12 Commercial operator - Full style:		TTH FLOOR, CATHAY HOUSE SATHORN ROAD, SILOM, BAI P.O.Box 2868 Solli	E, 8/27-28, NORTH
1.13 Disponent owner - Full style:		14TH FI(Ferrum Tower Suha-Dong) 19, Eulii-R GIL JUNG-GU SEOUL, KOREA	
1.14 Does disponent owner have vessel on time charter			
1.15 Since when vessel has been under Disponent owne	r:	Time charter/ 09th C	october 2022/one
1.16 Number of vessels in disponent owner's fleet:			
uilder			
1.17 Builder (where built) / Yard number:		SHIPYARD, CHINA	SF130129
1.18 Date delivered (built):		8-Oct-	16
assification			
1.19 Classification society:		NIPPON KAI	
1.2 Class notation:		NS* (CSR, BC-A, BC-XII, GRAB [20], PSPC-WBT (ESP), (IWS), (BWTS), (PSCM), (Strengthened fo heavy cargo loading where holds no.2 & 4 may be empty), MNS*(MO)	
1.21 If Classification society changed, name of previous	society:	N/A	
1.22 If Classification society changed, date of change:		N/A	
1.23 Date and place of last dry dock:		Shanghai	12/11/2021
1.24 Date next dry dock is due:		Mar-2	24
1.25 Date of last special survey / next survey due:		12/11/2021	07/10/2026
1.26 Date of last annual survey / next survey due:		12/09/2023	11/09/2024
1.27 Is vessel entered in classification approved enhance	ed survey program?	YES	3
Does vessel comply with IACS unified requirements	regarding number 1 cargo hold and	YES	
double bottom tank steel structure?			
Has this compliance been verified by the classification	on society?	YES	5
mensions			
1.29 Length Over All (LOA):		199.90	
1.3 Length Between Perpendiculars (LBP):	194.5 M		
1.31 Extreme breadth (Beam):		32.26 M	
1.32 Moulded depth:		18.50 M	
1.33 Keel to Masthead (KTM) / KTM in collapsed conditio	n (if applicable):	48.633	3 M
Distance from waterline to top of hatch coamings 1.34 or top of hatch covers if side-rolling hatches	No1. Hatch	Midships	Last Hatch
Ballast condition: F: 4.60 M, A: 7.55 M	16.500 M	14.725 M	13.250 M
(ballast holds not flooded, basis 50% bunkers)	10.000 10	17.72010	70.200 W
Full ballast condition: F: 7.65 M, A: 10.00 M	13 /50 M	11 975 M	10 800 M

	(ballast hold	s flooded, basis 50% bunke	ers)	10. - 700 IVI	11.31		10.000 IVI	
	Fully laden o	condition: Even keel 13.30	М	7.800 M	7.50	0 M	7.500 M	
1.35		m keel to top of hatch coam		21.100 M	20.80	00 M	20.800 M	
nnages	top of natch	covers if side-rolling hatche	es):					
	Gross Tonn	age (GT) / Net Registered 1	onnage (NF	5T)·	364	116	21225	
		Tonnage – Gross (SCGT) /			3699		32334.02	
		nal Net Tonnage (PCNT):).	5033	301		
	formation	narivet ronnage (r Civir).				501	171	
	Loadline			Deadweight	Dra	oft	TPC	
1.39	Summer:			63006.70	13.3		62.2	
				61284.30			62.2	
	Winter:	A 41 41		61284.30	13.0		62.1	
	Winter North			00000 7	N			
	Fresh water			63006.7	13.6		62.3	
	Tropical:			64730.8	13.5		62.3	
	Tropical fres			64730.8	13.8	379		
	Full Ballast of (ballast hold	condition: s not flooded, basis 50% bu	unkers) (ab	18785.69	5.9	91	55.9	
		raft: F- 0.449 M/ A- 4.795 M			2.6	22	52.7	
	FWA at sum		Diopiacom		2.0	302	-	
	TPC on sum							
essel fit						62.2		
		anama Canal?				YE	0	
1.4			Sim / 10,000	~ (80.0.0054);				
		deadweight all told on 39ft		· · · ·	53196.840 MT			
		nama deadweight all told af	fected by ve	ssel's bilge turn radius?		NO		
	Transit of Su				YES			
1.42		. Lawrence Seaway?			N/A			
	If yes, state	deadweight all told on 26ft /	7.92m fresl	h water:		N/	/A	
cent Ope	rational Hist	tory			-			
					Pollution:		NO	
1.43				serious casualty or collision incident	Grounding:		NO	
	during the pa	ast 12 months? If yes, give	details:		Casualty:		NO	
					Collision:		NO	
1.44	Voyage Hist	ory						
	Voy#	Charterer		Cargo		Load-Disch	arge Ports	
	Last:	Bainbridge Navigation	Pte., Ltd.	Iron Ore Fines in bulk	Gopalpur, India - Qingdao, China		- Qingdao, China	
	2 nd :	Bainbridge Navigation	Pte., Ltd.	Coal in bulk	Beira Port - Gangavaram, India		ngavaram, India	
	3 rd :	ACB SHIPPING PTI	E LTD	Granulated Blast Furnace Slag	Panjin, China/ Chattogram, Banglades			
	4 th :	Oldendorff GMBH &	CO. KG	Bulk Industrial Salt	Mundra/Tianjin port, China			
	5 th :	Bainbridge Navigation	n DMMC	Bulk Limestone		Salalah/Pipavav Port		
1.45	Specify the	security level at which the s	hip is currer	ntly operating (ISSC):			1 (ONE)	
2	CERTIFICA	TION		Issued	Last A	nnual	Expires	
2.1	Safety Equip	oment Certificate:		12-Nov-21	12-Se	ep-23	07-Oct-26	
2.2	Safety Radio	o Certificate:		26-Jan-23	12-Se	ep-23	07-Oct-26	

			=
2.1 Safety Equipment Certificate:	12-Nov-21	12-Sep-23	07-Oct-26
2.2 Safety Radio Certificate:	26-Jan-23	12-Sep-23	07-Oct-26
2.3 Safety Construction Certificate:	12-Nov-21	12-Sep-23	07-Oct-26
2.4 Loadline Certificate:	12-Nov-21	12-Sep-23	07-Oct-26
2.5 Safety Management Certificate (SMC):	22-Feb-22	22-Feb-22	20-Mar-27
2.6 Document of Compliance (DOC):	04-Nov-20	9-Oct-23	19-Nov-25
2.7 Cargo Gear survey:	12-Nov-21	12-Sep-23	12-Nov-26
2.8 Cargo securing manual:	08-Oct-16		NO LIMIT
2.9 International Oil Pollution Prevention Certificate (IOPPC):	12-Nov-21	12-Sep-23	07-Oct-26

2.1	Ship Sanitation Control (SSCC) / Ship Sanitation Control Exemption (SSCE) Certificate			18-Jun-24
2.11	USCG COFR:	14-Sep-21		14-Sep-24
2.12	International Ship Security Certificate (ISSC):	22-Feb-22	22-Feb-22	20-Mar-27

3	CREW MANAGEMENT	
3.1	Number of Officers: (including Master)	14
3.2	Number of crew:	10
3.3	Name and nationality of Master:	CAPT. PRAJAK NOISRI/ THAI
3.4	Nationality of Officers:	THAI
3.5	Nationality of crew:	24-THAI
3.6	What is the common working language onboard:	ENGLISH
3.7	Do officers speak and understand English?	YES

4	SAFETY MANAGEMENT				
4.1	Is the vessel ISM certified?	YES	YES		
4.2	Document of Compliance (DOC) certificate number / issuing authority:	20TB-M0076THADOC	NKK		
4.3	Safety Management (SMC) certificate number / issuing authority:	22LA-M0007SMC	NKK		
	State outstanding recommendations, if any:	NIL			
4.4	Is the vessel operated under a Quality Management System?	YES			
	If Yes, what type of system (ISO9002 or IMO Resolution A.741(18)):	IMO RESOLUTION	IMO RESOLUTION A.741(18)		

5	CARGO ARRANGEMENTS			
Holds				
5.1	Number of holds:	5		
5.2	Hold dimensions: L x B x H	HOLD 1: 29.52 x F 14.69 A 23.824 x 19.32 M HOLD 2: 33.62 x 23.824 x 19.32 M HOLD 3: 31.16 x 23.824 x 19.02 M HOLD 4: 31.16 x 23.824 x 19.02 M HOLD 5: 29.52 x F 23.824 A 8.966 x 19.02 M		
5.3	Are vessel's holds clear and free of any obstructions?	YES		
5.4	Capacity, by hold, excluding wing/topside tanks but including hatchways:	Grain	Bale	
	Hold #1:	13956.54	13200	
	Hold #2:	17682.44	16650	
	Hold #3:	15350.47	14080	
	Hold #4:	15850.41	15000	
	Hold #5:	14944.79	14500	
	Total:	77784.65	73430	
5.5	Is vessel strengthened for the carriage of heavy cargoes?	YES		
5.6	If yes, state which holds may be left empty:	2 & 4		
5.7	Is tanktop steel suitable for grab discharge?	YES		
5.8	State whether bulkhead corrugations are vertical or horizontal:	VERTICAL		
	Tanktop strength:	HOLDS 1, 3 & 5 – 25T/M2 , HOLDS 2 &	4 – 20T/M2	
-	Are holds CO2 fitted?	YES		
5.11	Are holds fitted with smoke detection system?	YES		
5.12	Is vessel fitted with Australian type approved holds ladders?	YES		
5.13	Has vessel a functioning class certified loadmaster/loadicator or similar calculator?	YES		
5.14	Are holds hoppered at:			
	Forward bulkhead?	d? YES HOLD 3		
	Aft bulkhead?	YES HOLDS 1,3,4		
5.15	Can vessel's holds be described as box shaped?	NO		
5.16	Measurement of any tank slopes/hoppering: (height and distance from vessel's side at tank top)	HOLD 1: H 4.22~5.90M x D 4.22~8.22M; HOLD 2: H 4.22M x D4.22M HOLD 3: H 4.22M x D 4.22M HOLD 4: H 4.22M x D 4.22M HOLD 5: H 4.22–9.06M x D 4.22~11.65M		

	Flat floor measurement of cargo holds at tank top: L x W	HOLD 1: 27.06 x 14.69~23.824 M HOLD 2: 33.62 x 23.824 M HOLD 3: 26.24 x 23.824 M HOLD 4: 28.70 x 23.824 M HOLD 5: 29.52 x 8.966~23.824 M	
5.18	Are vessel's holds electrically ventilated?		NO
	If yes, state number of air-changes per hour basis empty holds:		N/A
5.19	Type of hold paint:		CURED EPOXY
5.2	Is vessel fitted for carriage of grain in accordance with chapter V1 of SOLAS 1974 and amendments without requiring bagging, strapping and securing when loading a full cargo (deadweight) of heavy grain in bulk (stowage factor 42 cu. Feet) with ends untrimmed?		YES
5.21	Is the vessel fitted with A60 Steel Bulkhead?		YES
Deck and H	atches		
5.22	Number of hatches:		5
5.23	Make and type of hatch covers:		McGREGOR, ELECTRO-HYDRAULIC, FOLDING TYPE
5.24	Hatch dimensions: (Length X Breadth)		NO.1: 19.68 M X 18.26 M NOS 2-5: 22.96 M X 18.26 M
5.25	Hatch span (distance from front of forward hatch#1 to aft of rear hatch#5):		148.42 M
5.26	5.26 Strength of hatch covers:		66kN/m2 to 50.3 kN/m2 no.2: 36.4kN/m2 to 34.3 kN/m2 no.3-5: 34.3kN/m2 Horizontal sea load of longitudinal 175kN/m2 transverse 175kN/m2 Additional hatch no.3 is suitable for carriage of water ballast the load estimated to 77.7kN/m2
5.27	Number, diameter and location of cement holes	er, diameter and location of cement holes	
5.28	Distance from ship's rail to near and far edge of hatch covers/coaming near a (Please advise the minimum width clear of any obstruction for each hold):	Ship's rail to near edge of walkway – 4.63m Ship's rail to far edge of coaming – 7m Clear distance: Hold1 – 1.80m, Hold2 – 4.20m Hold3 – 3.10m, Hold4 – (frame 79 to 97 - 2.45m (fram 103 to 110 - 2.45), No clear space, Hold5 2.08m	
5.29	Distance from bow to fore of 1 st hold opening:		16.32 M
	Distance from stern to aft of last hold opening:	34.58 M	
	State deck strength:	Not approved to carry load on deck	
Ballast	,		
5.32	Capacity of ballast tanks (100%):		18031.46M3
	Ballast holds capacity, state which hold(s):	NO.3 HOLD - 15350.47M3	
	Vessel's ballasting time / rate of ballasting / Vessel's deballasting time / rate o	f	
5.35	deballasting	I	12 HRS / 2x720M3 per HR / 14HRS / 2x720M3 per HR
5.36	Unpumpable quantity:		100M3

6	CARGO GEAR (ONLY TO BE COMPLETED IF APPLICABLE)	
6.1	If geared state make and type:	4 DECK CRANES. MASADA-MITSUBISHI, ELECTRO-HYDRAULIC, SWL 36MT HOOK, 28MT WITH GRAB
6.2	Number/location of derricks / cranes:	4 NO. / BETWEEN HOLDS 1&2, 2&3, 3&4, 4&5
6.3	Maximum outreach of gear beyond ships rail	13.7 M
6.4	Maximum outreach of gear beyond ships rail with maximum cargo lift on hook:	13.7 M
6.5	If gantry cranes/horizontal slewing cranes - state minimum clearance distance crane hook to top of hatch coaming:	N/A
6.6	Time needed for full cycle with maximum cargo lift on hook:	120 sec (from bottom of hold to jetty)
6.7	Hoisting time of gear: (Load / Metres Minutes) Hook Grab	LOAD 36/14/5MT – SPEED 22/44/55 m/min
6.8	Luffing time of gear:	58sec / FROM 20º TO 80º
6.9	Slewing time of gear:	0.45 RPM
6.1	Is gear combinable for heavy lift?	N/A
6.11	Are winches electro-hydraulic?	YES
6.12	If vessel has grabs on board - state:	YES, 4 NOS
	Туре:	TOBU-ELECTRO/HYDRAULIC

	Weight: 9 MT		Т	
		Lifting Capacity:	6/12M3	
		Power source of grabs:	440/110V, 60HZ	3-AC
		Location of power source:	INSIDE CRA	NE POST
6.13	Does vessel have enough power to run 4 cranes and 4 pls state how many?	shore grabs (if applicable). If not	YES	
6.14	Is vessel fitted with sufficient lights at each hatch for ni	ght work?	YES, PORTAE	BLE LIGHTS
6.15	Is vessel logs fitted?		NO	
	If yes, state number, type and height of stanchions/sockets, if on board:		N//	Ą
6.16	Is vessel log racks fitted?		N//	ł
6.17	Timber Loadline (if applicable)	Deadweight	Draft	TPC
	Summer:			
	Winter:			
	Winter North Atlantic:			
	Fresh water:		N/A	
	Tropical:			
	Tropical fresh water:			

7		
7.1	Capacity in direct stow of TEU/FEU basis empty tanks:	
	Capacity in direct stow of TEU/FEU basis full tanks:	
7.2	Are all containers within reach of vessel's gear?	
7.3	If no, state self sustained capacity:	
7.4	If vessel fitted with all permanent and loose fittings/lashing materials for above number of- TEU/FEU?	
7.5	ls vessel fitted with recessed holes/shoes on tankton and container shoes on	
7.6	Advise stack weights and number of tiers on/under deck per TEU:	
	Advise stack weights and number of tiers on/under deck per FEU:	
7.7	Has vessel a container spreader on board?	
7.8	Number and type of reefer plugs:	

8	ENGINE ROOM, SPEED AND CONSUMPTION			
8.1	8.1 Is vessel fitted with a shaft generator? NO		NO	
Engine Roo	om			
8.2	Engine make/model and type:		MAN-B&W 5G6	60ME-C9.2(Tier II)
8.3	BHP / RPM of main engine at MCR:	100%	11398.7 BHP	77.0 RPM
8.4	BHP / RPM of main engine at NCR (as % of MCR):	77%	8845.4 BHP	70.8 RPM
8.5	GENERATORS :		ANQING CSSC,	6DK-20e, 3x700kW
Fuel				
8.5	What type/viscosity of fuel is used for main propulsion	RMG 380CST ISO 8217:2017 VLSFO (Sulphu in propulsion: 0.5%) + In ECA area, DMA ISO 8217:2017 LSG (Sulphur < 0.1%)		
	Capacity (100%) of main engine bunker tanks (LSIFO + HSIFO; excluding unpumpables):		LSMGO	LSFO
			515.0	1445.0
8.6			RMG 380CST ISO 8217:2017 VLSFO (Sulphur< 0.5%) + In ECA area, DMA ISO 8217:2017 LSMGC (Sulphur < 0.1%)	
	Capacity (100%) of aux engine(s) bunker tanks (LSM	GO + HSMGO; excluding	LSMGO	LSMGO
	unpumpables):		INCLUDE	D IN ABOVE
Speed				
8.7	Ballast:	ABT	AS PER VESSEL DESCRIPTION	
	Laden:	ABT		
Consumpti	-			
8.8	Passage		Main	Aux
	Ballast:	ABT		
	Laden:	ABT		
8.9	In Port			
	Working:		AS PER VESSE	EL DESCRIPTION

9 MIS	SCELLANEOUS	
mmunicatio	ns and Electronics	
9.1 Ca	Il sign:	HSLS
9.2 Ve	ssel's INMARSAT – C number:	456700827, 456700828
9.3 Ves	ssel's telephone number:	+870773302716
9.4 Ve	ssel's fax number:	+870783306599
9.5 Ve	ssel's email address:	vessel@preciousshipping.com
9.6 Ve	ssel's MMSI No. (Maritime Mobile Selective call Identity Code):	567 111 000
9.7 Ves	ssel's onboard electrical supply (V / Hz):	220V / 60Hz
onstants/Fres	h Water	
9.8 Co	nstants excluding fresh water:	350 MT
9.9 Dai	ily freshwater consumption:	10 MT
9.1 Fre	esh water capacity:	301 MT
9.11 Sta	te daily production of evaporator:	15 MT/DAY
9.12 No	rmal fresh water reserve:	200 MT
surance		
9.13 P 8	k I Club - Full style:	UK P & I CLUB
9.14 P 8	I Club coverage (US \$):	AS PER P&I RULES
9.15 Wh	ere is the owners hull and machinery placed:	THE SWEDISH CLUB
9.16 Hu	II & Machinery insured value (US \$):	AS PER VESSEL DESCRIPTION
etting		
9.17 ls t	he vessel RIGHTSHIP approved:	N/A
9.18 Dat	te/Place of last RIGHTSHIP Inspection:	N/A
ort State Cont	rol	
9.19 Dat	te and place of last Port State Control inspection:	13/09/2023 at Tianjin, China
9.2 Ha	s the vessel been detained by Port State Control in the last 12 months?	NO
Any	y outstanding deficiencies as reported by any Port State Control. If yes, provide details:	NO
	y Australian Maritime Safety Authority (AMSA) detentions or noted deficiencies. If so, ase advise details and specify when/where these items were repaired.	NO

10.1

2008 (BalticExchange.com / <u>Baltic99.com</u>)